

F.No. 21-158/2011-IA.III
Government of India
Ministry of Environment & Forests

**Paryavaran Bhawan,
CGO Complex, Lodhi Road,
New Delhi-110 003**

Dated; 18th July, 2012

To
M/s Buildwell India Pvt. Ltd.,
5th Floor, Hanuram Boro Path,
Wallford (Opp. International Hospital),
G.S. Road, Guwahati -781 005, Assam


Subject: Environmental Clearance for the construction of Commercial-cum-residential project 'Subham Buildwell' at RG Bharauch Road village Japorigog Mausam, Beltola, District Guwahati, Assam by M/s. Buildwell India Private Limited - Reg.

Sir,

This has reference to your application No. Nil dated 28.11.2011 and subsequent letter dated 1.3.2012 seeking prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the lights of provisions under the EIA Notification, 2006 and subsequent amendments on the basis of the mandatory documents enclosed with the application viz., Form 1, Form 1A and the additional clarifications furnished in response to the observations of the Expert Appraisal Committee constituted by the competent authority in its meeting held on 9th - 10th February, 2012 and recommended Environmental Clearance for the project.

2. It is interalia, noted that the project involves the construction of residential project on a plot area of 23,302 sqm. and the total built-up area proposed is 67,109 sqm. The total water requirement is 230 KLD (domestic water 197 KLD). The sewage generation is about 170 KLD. The capacity of STP proposed is 200 KLD. Treated water will be used for flushing-59 KLD, horticulture-24 KLD, D.G cooling-2 KLD, make-up water for swimming pool-7.2 KLD and rest 68 KLD will be discharged to Municipal sewer. Total Municipal Solid waste generated is 1,128.65 kg/day. Total power requirement is 4904. The total car parking is 611 ECS. Total cost of the project is Rs. 65 Crores.

3. The Expert Appraisal Committee, after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations, have recommended for the grant of Environmental Clearance for the project mentioned above. Accordingly, the Ministry hereby accord necessary Environmental Clearance for the above project as per the provisions of Environmental Impact Assessment Notification,



2006 and its subsequent amendments, subject to strict compliance of the terms and conditions as follows:

PART A - SPECIFIC CONDITIONS

I. Construction Phase

- (i) "Consent for Establishment" shall be obtained from Assam Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at the site.
- (ii) The total height of the building is 31 m. The guidelines issued by the Ministry of Environment & Forests for High Rise Building vide O.M. No. 21-270/2008-IA.III dated 07.02.2012 shall be followed strictly for the project.
- (iii) The Ground water level is High, hence the foundation work will involve dewatering and proper water proofing, permission shall be obtained for de watering from the competent authority.
- (iv) Enhance the circulation plan with proper divider at entry and exist and increase width of the road at the corners so as to enable free turning of trucks.
- (v) The project proponent shall be responsible for the maintenance of STP and SWM facilities till the Society takes over the responsibility. Proponent shall submit an undertaking to this effect.
- (vi) The storm water drainage shall be worked out after analyzing the contour levels of the site and the surrounding area and the capacity of storm water drainage.
- (vii) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (viii) A First Aid Room will be provided in the project both during construction and operation of the project.
- (ix) All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
- (x) Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.

- (xi) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (xii) Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.
- (xiii) Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the Assam State Pollution Control Board.
- (xiv) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- (xv) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- (xvi) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xvii) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB.
- (xviii) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003.
- (xix) Ready mixed concrete must be used in building construction.
- (xx) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xxi) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxii) Permission to draw ground water shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxiii) Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.



- (xxiv) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxv) Use of glass may be reduced by up-to 40% to reduce the electricity consumption and load on airconditioning. If necessary, use high quality low E value glass.
- (xxvi) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfil requirement.
- (xxvii) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfil requirement.
- (xxviii) The approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc.
- (xxix) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xxx) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.

II. Operation Phase

- i) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the Ministry before the project is commissioned for operation. Treated affluent emanating from STP shall be recycled/reused to the maximum extent possible. Treatment of 100% grey water by decentralised treatment should be done. Discharge of unused treated affluent shall conform to the norms and standards of the Assam State Pollution Control Board.
- ii) The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry / inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.

- iii) Diesel power generating sets proposed as source of back up power for during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Assam State Pollution Control Board.
- iv) Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- v) The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise.
- vi) Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
- vii) Rain water harvesting for roof run- off and surface run- off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The borewell for rainwater recharging should be kept at least 5 mts. above the highest ground water table.
- viii) The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
- ix) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- x) A Report on the energy conservation measures confirming to energy conservation norms finalise by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the Ministry in three months time.
- xi) Energy conservation measures like installation of CFLs/TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.
- xii) Adequate measures should be taken to prevent odour problem from solid waste processing plant and STP.



- xiii) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.

PART - B. GENERAL CONDITIONS

- i) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB /SPCB.
4. Officials from the Regional Office of MOEF, Shillong who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional office of MOEF, Shillong.
5. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.
6. The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
7. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
8. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
9. The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Assam State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at <http://www.envfor.nic.in>. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Shillong.
10. Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project.

11. A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.

12. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

13. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

Yours faithfully,



(Lalit Kapur)
Director (IA.III)

Copy to: -

1. The Secretary, Department of Environment, Government of Assam, Guwahati.
2. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi - 110 032.
3. Member Secretary, Assam Pollution Control Board, Guwahati.
4. The CCF, Regional Office, Ministry of Environment & Forests (NEZ), Uplands Road, Laitumkhrach, Shillong - 793003.
5. IA - Division, Monitoring Cell, MOEF, New Delhi - 110003.
6. Guard file.

(Lalit Kapur)
Director (IA.III)